

Asian Journal of Probability and Statistics

Volume 22, Issue 3, Page 15-19, 2023; Article no.AJPAS.99555

A Multi-disciplinary Investigation of Linearization Deviations in Different Regression Models

Kadir Yılmaz ^{a++*} and Münevver Turanlı ^{b#}

^a Department of Statistics, Graduate School of Sciences, Istanbul Commerce University, Istanbul, Turkey.
^b Department of Statistics, Faculty of Humanities and Social Sciences, Istanbul Commerce University, Sütlüce, İstanbul, Turkey.

Authors' contributions

This work was carried out in collaboration between both authors. Both authors read and approved the final manuscript.

Article Information

DOI: 10.9734/AJPAS/2023/v22i3484

Open Peer Review History:

This journal follows the Advanced Open Peer Review policy. Identity of the Reviewers, Editor(s) and additional Reviewers, peer review comments, different versions of the manuscript, comments of the editors, etc are available here:

https://www.sdiarticle5.com/review-history/99555

Received: 22/02/2023 Accepted: 26/04/2023

Published: 29/04/2023

Original Research Article

Abstract

Aim: This study's objective is to examine linearization deviations in various regression models using a multidisciplinary approach.

Methods: Curve estimate models' accuracy for each type of data was tested using social, financial, and medical data sets.

Results: Although the power of a given model reduces with non-normal distributions, linearization in the social sciences is more efficient and has less variation from regression points in parametric equations. However, single-center distributions in the social sciences typically lead to nonparametric distributions. When compared to social sciences and health sciences, the effectiveness of linearization in financial sciences is higher. The original essence of financial techniques and models is frequently present, and they test their

⁺⁺ Postgraduate;

[#]Prof. Dr.,

 $[*] Corresponding \ author: Email: dekartezyen@hotmail.com, kadir.yilmaz@istanbulticaret.edu.tr;$

presumptions. Financial models and assumptions are more linear than those seen in real life since they correspond to artificial systems that individuals have developed, making them better suited for predetermined formulas. The rise in linearization issues in the field of finance, which has been increasingly common in recent years, is a symptom of this together with behavioral finance. Studies in the realm of health and well-known models were discovered to have the highest linearization deviations. Exponential or growth functions exhibit the highest linearization deviations in processes like growth, proliferation, and the spread of disease or pandemics. The data display considerable departures from normality and linearization, particularly in animal trials with very small statistical units or research conducted on a particular population.

Conclusion: Despite research on R2's explanatory capacity in regression, there aren't enough studies in various fields that concentrate on R2's departures from linearization. Additionally, no study was located in which the subject's mathematical foundation was examined and cross-compared across various data sets. As a result of this feature, the research represents a field first. The research's ability to pragmatically assess the distinctions between disciplines, made possible by its multi-disciplinary nature, is another unique aspect of the work.

Keywords: Linearization; regression; deviation; multi-disciplinary.

1 Introduction

In its most general definition, linearization is the closest expression of an equation to the linear at a specific point. In other words, linearization is a linear approximation to a given equation. Although mathematical functions have different distributions specific to their structures, linearization is required to analyze and generalize these formulas [1-5].

It is strongly advised to refrain from referring to linearization using terms from the 19th century, such as differentials or other mathematical concepts. A function that has been linearized at a certain point has the same number of variables as a linear function. The concept of differential forms was developed in 20th century mathematics, and while it is a valuable mathematical idea, it is one that is only applicable to subsequent courses that build on multivariable calculus, such as Riemannian geometry. The idea of differentials dates back to a time when some aspects of calculus were still unclear. It has endured and can be found in several calculus textbooks [6-10].

The term differential, which was used instead of linearization in previous studies, brings with it continuous or unstable saddle results in some function types. On the other hand, linearization is simply finding the linear form of an equation. In this research, it was aimed to investigate linearization deviations in different regression models from multi-disciplinary approach.

2 Methods

Social, financial and medical data sets were used to test curve estimation models and their accuracy for each data sets. The World Bank Country Reports repository was used for research parameters in Türkiye data sheet. Research parameters and the World Bank Codes with year ranges were shown in the Table 1.

Research Code	Type	The World Bank Parameter Name	Years
Social Field (SF)			
SF_SEP	Independent	School enrollment, primary (% gross)	1990-2019
SF_UF	Dependent	Unemployment, female (% of female labor force)	1990-2020
		(national estimate)	
Economy Field (H	EF)		
EF_GDP	Independent	GDP per capita, PPP (current international \$)	1990-2021
EF_CPI	Dependent	Consumer price index $(2010 = 100)$	1990-2021
Health Field (HF)		
HF_MR	Independent	Mortality from CVD, cancer, diabetes or CRD	2000-2019
		between exact ages 30 and 70 (%)	
HF_LEB	Dependent	Life expectancy at birth, total (years)	1990-2020

Table 1. Research parameters and the World Bank Codes with year ranges

Baseline characteristics of parameter series and their distributions were evaluated with Kolmogorov Smirnov test for normality and Augmented Dickey Fuller (ADF)-Phillip Perron (PP) unite root tests. Models were defined as in the following [11]:

Curve estimation models were used to test relationship between dependent and independent parameters. SPSS 25.0 for Windows and Stata MP 14.0 for windows were used for analysis.

3 Results

Curve fit estimation model analysis results for social field sample data of the World Bank were given in the Table 2.

Table 2. Curve fit estimation model analysis results for social field sample data of the World Bank

Equation	Model Summary					Parameter Estimates				
	R Square	F	df1	df2	p value	Constant	b 1	b2	b3	
Linear	0.150	4.945	1	28	0.034	39.866	294			
Logarithmic	0.155	5.132	1	28	0.031	149.116	-30.114			
Inverse	0.160	5.320	1	28	0.029	-20.329	3075.705			
Quadratic	0.228	3.995	2	27	0.030	525.088	-9.924	0.048		
Cubic	0.228	3.995	2	27	0.030	525.088	-9.924	0.048	0.000	
Compound	0.106	3.303	1	28	0.080	117.328	.976			
Power	0.109	3.440	1	28	0.074	1115766.860	-2.523			
S	0.113	3.578	1	28	0.069	279	258.334			
Growth	0.106	3.303	1	28	0.080	4.765	025			
Exponential	0.106	3.303	1	28	0.080	117.328	025			

R² ranges from 0.228 to 0.106 indicating deviation around 12.2%. Cubic and quadratic are the best fitted models, whereas compound, growth and exponential are the less fitted models.

Curve fit estimation model analysis results for economy field sample data of the World Bank were given in the Table 3.

Table 3. Curve fit estimation model analysis results for economy field sample data of the World Bank

Equation	Model Summary					Parameter Estimates				
_	R Square	F	df1	df2	p value	Constant	b1	b2	b3	
Linear	0.881	221.774	1	30	0.000	9151.094	82.324			
Logarithmic	0.498	29.750	1	30	0.000	9460.494	2122.673			
Inverse	0.125	4.304	1	30	0.047	17087.253	-896.144			
Quadratic	0.901	132.139	2	29	0.000	8200.025	115.146	-0.130		
Cubic	0.938	140.396	3	28	0.000	9184.095	25.948	0.794	-0.002	
Compound	0.842	159.639	1	30	0.000	9704.352	1.005			
Power	0.550	36.650	1	30	0.000	9595.569	0.134			
S	0.162	5.816	1	30	0.022	9.655	-0.061			
Growth	0.842	159.639	1	30	0.000	9.180	0.005			
Exponential	0.842	159.639	1	30	0.000	9704.352	0.005			

R² ranges from 0.938 to 0.125 indicating deviation around 81.3%. Cubic is the best fitted model, whereas inverse is the less fitted model. However, inverse and S models are out of acceptable tresholds as over 50%

difference from other models. Curve fit estimation model analysis results for health field sample data of the World Bank were given in the Table 4.

Table 4. Curve fit estimation model analysis results for health field sample data of the World Bank

Equation	Model Summary					Parameter Estimates				
	R Square	F	df1	df2	p value	Constant	b1	b2	b3	
Linear	0.935	258,659	1	18	0.000	63,842	-,622			
Logarithmic	0.939	276,650	1	18	0.000	216,296	-46,127			
Inverse	0.943	295,577	1	18	0.000	-28,415	3415,391			
Quadratic	0.958	192,793	2	17	0.000	321,902	-7,603	0.047		
Cubic	0.958	192,793	2	17	0.000	321,902	-7,603	0.047	0.000	
Compound	0.947	320,654	1	18	0.000	231,329	,966			
Power	0.950	339,777	1	18	0.000	1133935,557	-2,571			
S	0.952	358,810	1	18	0.000	,301	190,281			
Growth	0.947	320,654	1	18	0.000	5,444	-,035			
Exponential	0.947	320,654	1	18	0.000	231,329	-,035			

R² ranges from 0.958 to 0.939 indicating deviation around 0.19%. Cubic and quadratic are the best fitted models, whereas linear is the less fitted model.

4 Discussion and Conclusion

Although linearization in social sciences is more effective and has less deviation from regression points in parametric equations, the power of given model decreases with non-normal distributions. However, distributions in social sciences in single centers generally results in nonparametric distributions [12,13].

In financial sciences, linearization is more effective than health sciences, and less effective than social sciences. Financial approaches and models often had their original nature, and they test their assumptions. Since finance refers to the systems that people have created artificially, financial assumptions and models are more linear than real life, and they are more suitable for determined formulas. Along with behavioral finance, which has become widespread today, the increase in linearization problems in the field of finance is a sign of this [14].

Studies in the field of health and established models were found to be the studies with the highest deviations in terms of linearization. In processes such as growth, proliferation, and spread of disease or pandemics, linearization deviations are greatest in exponential or growth functions. Especially in animal experiments with very small statistical units or studies performed on a specific group, the data show high deviations from normality and linearization [15].

Although there are studies on regression explanatory power R², there are not enough studies focused on deviations from regression linearization in different disciplines. In addition, no study was found in which the mathematical infrastructure of the subject was tested and cross-compared in different data sets. Therefore, the research is an important study in the field due to this feature. Another originality of the research is that it allows the pragmatic evaluation of the differences between disciplines, thanks to its multi-disciplinary feature.

Competing Interests

Authors have declared that no competing interests exist.

References

- [1] Asghari M, Fathollahi Fard AM, Mirzapour Al-e-hashem SMJ, Dulebenets MA. Transformation and Linearization Techniques in Optimization: A State-of-the-Art Survey. Mathematics. 2022;10(283):1-26.
- [2] Negrello C, Gosselet P, Rey CNonlinearly Preconditioned FETI Solver for Substructured Formulations of Nonlinear Problems. Mathematics. 2021;9:316.

- [3] Mangasarian OL, Meyer RR. Absolute value equations. Linear Algebra Appl. 2006;419:359–367.
- [4] Negrut D, Ortiz JL. A Practical Approach for the Linearization of the Constrained Multibody Dynamics Equations. J. Comput. Nonlinear Dynam. 2006;1(3):230-239.
- [5] Horowitz PP. Dynamic Systems and Feedback Class Notes for ME132. University of California, Berkeley, CA; 2002.
- [6] Sridhar S, Linderoth J, Luedtke J. Locally ideal formulations for piecewise linear functions with indicator variables. Oper. Res. Lett. 2013;41:627–632.
- [7] Knill O. Linearization, In Math S21a: Multivariable calculus, Harvard University Press; 2011.
- [8] Sturtevant T. Linearizing Equations Handout. Wilfrid Laurier University; 2009. Available: http://denethor.wlu.ca/data/linear.pdf Retrieved: 22.10.2022.
- [9] El-Kalaawy OH, Ibrahim RS. Linearizing Transformation and Exact Solutions Of Nonlinear Equations In Mathematical Physics. Italian journal of pure and applied mathematics. 2008;23(1):197-204.
- [10] Andrisani D., Linearization of Nonlinear Equations. Purdue University, Collage of Engineering, West Lafayette, IN; 2003.
- [11] Turanlı M, Yılmaz K. Linearization Problems in Managerial Sciences. "International Research in Social, Humanities and Administrative Sciences"; 2023. ISBN: 978-625-6971-27-1
- [12] Chavan, Kulkarni, Role of Non-Parametric Test in Management & Social Science Research. Quest International Multidisciplinary Research Journal. 2017;6(9):38-52.
- [13] Dalgaard P. Introductory Statistics With R. Springer; 2008.
- [14] Kothari CR. Research Methodology. New Age International Publishers, Mumbai; 2010.
- [15] Fathollahi-Fard AM, Hajiaghaei-Keshteli M, Tavakkoli-Moghaddam R, Smith NR. Bi-level programming for home health care supply chain considering outsourcing. J. Ind. Inf. Integr. 2021;25:100.

© 2023 Yılmaz and Turanlı; This is an Open Access article distributed under the terms of the Creative Commons Attribution License (http://creativecommons.org/licenses/by/4.0), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

Peer-review history:

The peer review history for this paper can be accessed here (Please copy paste the total link in your browser address bar)

https://www.sdiarticle5.com/review-history/99555